



BUSINESS INTEGRITY



QUALITY ASSURANCE



PHYSICAL SHOOTING



QUALITY SERVICE

Function

- 1□support multi-rotor□Three axis, four axis, six axis, eight axis
- 2□Product size□36×36×10CM
- 3□ the proposed remote control□PCM or 2.4GHz;at least six channels, support and protection.
- 4□Battery□5400mah lipo battery
- 5□the maximum flight time□26M
- 6□Weight□650g (without battery)
- 7□Motor□EH9812 and EH9812R reversible motor
- 8□flying accuracy□± 0.5m
- 9□maximum rotation angle□360 °
- 10□operating temperature□ -15 ° C~ + 70 ° C
- 11□Maximum power 5W (1A @ 5V)
- 12□Rated Power□1.5W (300mah @ 5V)
- 13□Speed□6-15m / sec.
- 14□Control Distance□1KM
- 15□Transmitter□433MHZ80MW standard Bluetooth communication devices.





Front



Back



Product Display

GHOST





Product Features





Product Details



GHOST



Product Accessories



Product show





Parameters

Diagonal Distance□360mm

Drone Height□100mm

Height with Landing gears□190mm

Drone Weight□650g

Weight with Gimbal and Camera□1000g

Maximum Flight Distance□1000m

Maximum Flight Height□1000m

Hover Precision□±2m□influenced by flying environment□

Wind Resistance□<10.7m/s

Operating Environment Temperature□-15°- +70°

Flight Control Maximum Power Rate□5W□1A@5V□

Flight Control Rated Power□1.5W□300ma@5A□

Flight Time□18-23min

Battery□xt60 connector 3-cell 11.1v 5.4Ah Lipo

GPS□Ublox 6 parallely compacted compass

Communication Method□433mhz 80mw standard 2.4G channel communicator

Camera□1200pixel 1080P HD camera□Gopro compactible□

Flight Control□Ehang Flight Control System

Gimbal□2D Brushless Gimbal□operated with smartphone APP□

Components

1×Ghost Drone

1×Gimbal

1×Camera

1×Battery

1×433mhz 80mw communication box



Video [Ghost drone with smartphone Control System REH30G-N](#)