

0.3MP cámara transmisión WIFI FPV,
con función de mantener altitud, HYSPLIT y sensor G

Describir:

2,4 sistema de G controlando,
giroscopio de 6 ejes

Nuevos modos de altitud-hold sin cabeza,

una de las claves devolver función

clave de una nueva toma de función de despegue/aterrizaje

estructura plegable

Paquete de accesorios:

Cable USB x1, destornillador grande x1, álabes hacia adelante x2,

inversión de hojas x2, x4, tornillo de la cubierta abierta * 6, x1 Sostenedor del teléfono móvil

□Con transmisión en tiempo real de la FPV, WIFI30 mega pixeles 480p hd lente, teléfono móvil joder - control remoto

Modelo de trayectoria, gravedad, controlado por inducción□



FOLDING DRONE



**0.3MP camera WIFI FPV
transmission, with altitude
hold function, HYSPLIT and
G-sensor**

■ Altitude-hold modes

Use altitude-hold modes, is automatic aircraft hover at the rated level. one key return function
new one-key take off/landing function



■ Headless modes


No need to tell direction, forward, backward, left, right, easy operation



■ G-SENSOR

Body are remote control, accelerometer, simple and feasible





■ Trajectory flight

Use the flying trajectory, draw a path on the screen, aircraft flying will be according to draw the trajectory



■ 6 axis gyroscope

Built-in six axis gyroscope, flying is more stable




■ 0.3MP camera WIFI FPV transmission

WIFI 130 mega pixels 480 p hd lenses. With FPV real-time transmission




■ 2.4G controlling system

2.4 G spread spectrum technology, anti interference, more responsive



2.4G spread spectrum technology



Ordinary spread spectrum technology

■ Product size



■ Physical display



