







Function


- 1□support multi-rotor□Three axis, four axis, six axis, eight axis
- 2||Product size||36×36×10CM
- 3 the proposed remote control PCM or 2.4GHz; at least six channels, support and prote ction.
- 4∏Battery∏5400mah lipo battery
- 5 the maximum flight time 26M
- 6 Weight 650g (without battery)
- 7∏Motor∏EH9812 and EH9812R reversible motor
- 8∏flying accuracy∏± 0.5m
- 9∏maximum rotation angle 360 °
- 10 operating temperature -15 ° C~ + 70 ° C
- 11 Maximum power 5W (1A @ 5V)
- 12 | Rated Power | 1.5W (300mah @ 5V)
- 13 | Speed | 6-15m / sec.
- 14

 ☐ Control Distance

 ☐ 1KM
- 15 Transmitter 433 MHZ 80 MW standard Bluetooth communication devices.







Night Version Mode
Seting with LED lights
enable flying during
night, enjoy night view
with Ghost's Drones

Real-time Statistics
Flying statistics showed
up on app, make flying more
acurate, control the drones
anytime anywhere!

Android and Apple Phone controlled More easy, simple than tranditional transmitter!



— HD Camera for Pho Strong power moto Gimble, 1080P HD experience wooder



Flying freely in rainy and shine days. Fly steadily in 5m/s wind, little rainly days even can not stop drones flying!



One key for hold postion flying Position Hold at 10m high, one key keep landing stably



Automatic return Function It will turn back automaticly when losing GPS signal, no worries again in the future!

Product Display









Product Features





Product Details









Product Accesories





Product show







Parameters

Diagonal Distance ☐ 360mm

Drone Height 100mm

Height with Landing gears ☐ 190mm

Drone Weight ∏650g

Weight with Gimbal and Camera 1000g

Maximum Flight Distance ☐ 1000 m

Maximum Flight Height ☐ 1000 m

Hover Precision □±2m □influenced by flying environment □

Wind Resistance < 10.7m/s

Operating Environment Temperature □-15°- +70°

Flight Control Maximum Power Rate ☐ 5W ☐ 1A @ 5V ☐

Flight Time

☐ 18-23min

Battery (xt60 connector 3-cell 11.1v 5.4Ah Lipo

GPS∏Ublox 6 parallely compacted compass

Communication Method 433mhz 80mw standard 2.4G channel communicator

Camera 1200 pixel 1080 PHD camera Gopro compactible

Flight Control ☐ Ehang Flight Control System

Gimbal ☐ 2D Brushless Gimbal ☐ operated with smartphone APP ☐

Components

1×Ghost Drone

1×Gimbal

1×Camera

1×Battery

1×433mhz 80mw communication box



Video Ghost drone with smartphone Control System REH30G-N