

Skyartec Butterflys 3-Eksen Pusula RTF REH09MC02-1

Işlev

Pusula Fonksiyon: açık pusula işlevi, 4 kanallı (merkez yön kanalı), zemin seviyesinde butterflys, uçuş tutum arka tutum yönüne gelecek zaman Batterys güç.

- Desteklenen 7.4V veya 11.1V lipo pil.
- Hiçbir ek kaynak
- Mükemmel kalitede bileşenler, istikrarlı ve üstün performans benimser. 32 bit singlechip kullanın
- Tüm bileşenlerin entegrasyonu, üç eksenli ivme sensörü ve üç eksenli açısız hız sensörü benimser
(6 eksenli gyro)
- Kolay kullanım ve hata ayıklama, çok yönlü, çok-rotor modeller için geçerlidir
- 3 Axia jiroskopik duyarlılığı ve ana fonksiyonunu ayarlamak pozisyon ayarlayıcı tarafından ayarlanabilir
- Çok eksenli X türü için destek
- Çıkış portları ESC veya servo sürücü, altı gruba kadar var.
- Standart PWM sinyal çıkışı, geleneksel PWM ESC desteklemek ve servo her türlü (dijital veya analog) (Skyartec serisi yüksek hızlı ESC kullanarak öner)
- Alıcı doğrudan özel bir dekoder olmadan, uçuş kontrol kartına bağlı veya değiştirebilir olabilir
alıcı
- Mevcut sürümü, makul bir karışımına bağlıdır (istikrarlı hover ve mükemmel yol tutuşu elde edebilirsiniz
alma ve çalışma deneyimi), operasyon modu, Helikopter benzer, ancak adapte kolay
- Stabil pil ömrü, havadan küçük kapsamını karşılamak için olabilir, beceri uçan bazı inanılmaz dublör tamamlamak miyim
fotoğraf karmaşık ve pahalı rc helikopter yerine
- Destek firmware güncellemesi, ve sürekli gelişen bir performans (programlama satın almanız gerekir)
- Self-stabilizasyon sistemi, destek sabit nokta gezinip
- Hızlı hızlı ve istikrarlı uçuş, neden ataleti ortadan kaldırabilir.



Pusula kalibrasyonu

İlk uçuştan önce pusula kalibrasyon veya orijinal yerden oldukça uzak bir değiştirin.

Lütfen dikkat: hassas artı veya eksi 10 derece olduğu, hassas sapma büyük, pusula ayarlamamız gerekir.

1. motoru kilitlemek, yatay konumda Butterflys koydu.

2. ardından düğmeyi bırakın, ışık yanıp kadar alıcı üzerindeki düğmeye dokunarak tutun.

3. döndürün Butterflys 360 derecelik uygun / geri, sağa / sola ve yatay seviye yönlendirme ve döndükçe tüm 30 saniye içinde bitirmek alıcı yanıp kadar, Butterflys uçabilir vardır iletmek.



Cool Styling

butterfly
Cool Styling

- Simple atmosphere, showing off perfect detail of industrial design
- Innovative design caters to imagination
- Support X-axis, additionally set up PTZ



Brushless Motor

butterfly Brushless Motor

- Continuously provide robust power
- Advantages with high efficiency, no-spark interference, power large
- Only support 7.4V power saving battery



Colorful Chassis

butterfly Colorful Chassis

- Beautiful curves with dynamic
- Electronic components can be better protected with the whole shaped technology of PVC materials
- Convenient of installation and replacement



Main Control Board

butterfly

Main Control Board

- Stable and superior performance adopting with high-quality components. Using 32BIT singlechip.
- Stable hovering supported with self-stabilization system
- Have aerial photo PTZ link function CAMP CAMR



Brushless ESC

butterfly

Brushless ESC

- The rotate speed of motor can be adjusted by 15AS BL ESC
- High efficiency, powerful function



5030 Three-blade Propeller

butterfly

5030 Three-blade Propeller

- Provide lift force and dynamic of forward and back
- Firm materials, un-breakable



Radio control 12 types mode of memory

Bring you beyond imagination conveniences, radio control has 12 types planes mode of memory. With this mode, you can control mutiple planes with just one radio control. To enhance conveniences, designers make humanized treatments, whether how mess you adjust the radio control parameters, it can easy restore factory settings.



D/R EXP function :
Dual Rates and Expo



built-in 12 types
planes, really realize
one control mutiple
models



control distance 800m



LCD large screen
display



2.4G radio control technology
making flying range more far,
remote control performance
more stable



restore factory settings,
easy operate



USB network upgrade
programme, free obtain
new program function



can set 5 points pitch curve
(only for helicopter)



radio control adjust gyro
sensitivity, which is convenient
for hovering and fancy flying.



can set 5 points throttle
curve



can free switchover MODE 1,
MODE 2



rocker can adjust the length
and tightness

[Hakkımızda daha fazla bilgi için tıklayınız.](#)



MORE PRODUCTS!